

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

		2022 Blasting Results		
Dec. 20	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	114.3 dB, 0.706 mm/sec
Dec. 16	From 10 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 2.413 mm/sec
Dec. 16	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	126 dB, 6.858 mm/sec
Dec. 9	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.100 in/sec
Dec. 9	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	120 dB, 1.651 mm/sec
Dec. 7	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	111.3 dB, 0.876 mm/sec
Dec. 3	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Cancelled
Dec. 3	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	129 dB, 5.715 mm/sec
Dec. 2	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.1350 in/sec
Dec. 2	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 118.4 dB, 2.247 mm/sec. Monitor 2: 114 dB, 0.638 mm/sec
Nov. 30	From 11 am to 4 pm	Borland Const.	SE 1/4 32-13-2E	NO TRIGGER
Nov. 29	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 1.778 in/sec
Nov. 25	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.160 in/sec
Nov. 23	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	121 dB, 4.064 mm/sec
Nov. 22	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	118.4 dB, 3.055 mm/sec
Nov. 18	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	118.5 dB, 1.252 mm/sec
Nov. 18	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.110 in/sec
Nov. 17	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	127 dB, 7.874 mm/sec
Nov. 16	From 11-3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	117 dB, 3.93 mm/sec
Nov. 10	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	115 dB, 7.815 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Nov. 10	From 10 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 0.127 mm/sec
Nov. 10	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	120 dB, 0.160 in/sec
Nov. 4	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.150 in/sec
Nov. 2	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	121 dB, 2.075 mm/sec
Nov. 1	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	121 dB, 2.540 mm/sec
Oct. 29	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	120 dB, 8.128 mm/sec
Oct. 28	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.155 in/sec
Oct. 27	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2 E	NO TRIGGER
Oct. 22	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	117 dB, 2.794 mm/sec
Oct. 21	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.180 in/sec
Oct. 20	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 3.937 mm/sec
Oct. 19	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	112.1 dB, 1.075 mm/sec
Oct. 14	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.1150 in/sec
Oct. 13	From 11 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	117 dB, 6.858 in/sec
Oct. 13	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	110.3 dB, 2.827 mm/sec
Oct. 7	From 9 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.155 in/sec
Oct. 6	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	NO TRIGGER
Oct. 6	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER
Oct. 4	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	110 dB, 1.189 mm/sec
Oct. 1	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 0.1650 in/sec
Sept. 30	From 9 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.09 in/sec
Sept. 29	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	122 dB, 9.398 mm/sec
Sept. 28	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	114.1 dB, 0.322 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Sept. 23	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.24 in/sec
Sept. 21	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	113 dB, 4.352 mm/sec
Sept. 21	From 11pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	124 dB, 0.1600 in/sec
Sept. 17	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2 E	NO TRIGGER
Sept. 16	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	119 dB, 0.105 in/sec
Sept. 15	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	117 dB, 5.588 mm/sec
Sept. 14	From 12:30 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	112.6 dB, 4.154 mm/sec
Sept. 10	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	118 dB, 0.1600 in/sec
Sept. 9	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.19 in/sec
Sept. 8	From 12 pm to 4 pm	Borland Const.	SE 1/4 32-13-2E	116 dB, 1.143 mm/sec
Sept. 7	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	124 dB, 10.795 mm/sec
Sept. 3	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	126 dB, 0.1700 in/sec
Sept. 1	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	100 dB, 0.255 in/sec
Aug. 26	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 0.1750 in/sec
Aug. 26	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	130dB, 2.41 mm/sec
Aug. 26	From 12 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	116.3 dB, 5.511 mm/sec
Aug. 25	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 115.9 dB, 5.477 mm/sec Monitor 2: 118.7 dB, 1.936 mm/sec
Aug. 25	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.20 in/sec
Aug. 18	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	119 dB, 0.120 in/sec
Aug. 16	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	119 dB, 4.572 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Aug. 11	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.17 in/sec
Aug 9	From 11 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	126 dB, 10.414 mm/sec
Aug 5	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2-E	120 dB, 0.0950 in/sec
July 30	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER
July 30	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	118 dB, 0.0800 in/sec
July 30	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	NO TRIGGER
July 29	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.1950 in/sec
July 28	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 2.652 mm/sec
July 23	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	122 dB, 3.810 mm/sec
July 22	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	125 dB, 0.150 in/sec
July 22	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	120 dB, 1.651 mm/sec
July 20	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	POSTPONED TO JULY 23RD
July 19	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	121 dB, 9.017 mm/sec
July 15	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.16 in/sec
July 15	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	120 dB, 0.110 in/sec
July 12	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	122 dB, 0.1150 in/sec
July 9	From 11 am to 4 pm	Borland Const.	SW1/4 32-13-2E	106 dB, 0.381 mm/sec
July 9	From 9:30 to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	120.7 dB, 6.08 in/sec
July 8	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.1900 in/sec
July 7	From 12 pm to 4 pm	Glacial Const.	SE 1/4 18-14-2E	126 dB, 3.175 mm/sec
July 6	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	124.6 dB, 1.550 in/sec
July 5	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 0.0859 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

June 30	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.190 in/sec
June 30	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	NO TRIGGER 106 dB, 0.254 mm/sec
June 25	From 1 pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	106 dB, 0.0700 in/sec
June 24	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.225 in/sec
June 22	From 11:59 am to 3:30 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 110.3 dB, 11.491 mm/sec Monitor 2: 122 dB, 0.622 mm/sec
June 18	From 11 am to 2 pm	Maple Leaf Const.	SE 1/4 8-14-2E	NO TRIGGER 100 dB, 26.924 mm/sec
June 17	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.250 in/sec
June 16	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 121.9 dB, 4.896 mm/sec Monitor 2: 118.4 dB, 4.113 mm/sec
June 15	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	120 dB, 4.064 mm/sec
June 14	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 0.0700 in/sec
June 11	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	POSTPONED TO JUNE 14
June 10	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	123 dB, 0.19 in/sec
June 4	From 11 am to 4 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 1.778 mm/sec
June 4	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 123.2 dB, 5.43 mm/sec Monitor 2: 120.5 dB, 1.349 mm/sec
June 3	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.145 in/sec
June 2	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 2.794 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

June 1	From 12 pm to 4 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 2.159 mm/sec
June 1	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	120.4 dB, 1.45 mm/sec
May 31	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	CANCELLED
May 28	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 8-14-2E	120 dB, 8.509 mm/sec
May 27	From 1 pm to 4 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.130 in/sec
May 26	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 109.6 dB, 5.715 mm/sec Monitor 2: 123.5 dB, 2.075 mm/sec
May 26	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 2.286 in/sec
May 21	From 11 am to 2 pm	Maple Leaf Const.	SE 1/4 8-14-2E	NO TRIGGER
May 14	From 11 pm to 2 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 0.0050 in/sec
May 13	From 12 pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	120 dB, 0.1400 in/sec
May 14	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER
May 13	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.045 in/sec
May 10	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	122 dB, 7.112 mm/sec
May 7	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 101.7 dB, 0.359 mm/sec Monitor 2: NO TRIGGER, 0.975 mm/sec
May 6	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.07 in/sec
May 6	From 1 pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 4.064 mm/sec
May 4	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	MONITOR 2: NO TRIGGER
April 29	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.22 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

April 28	From 12 pm to 4 pm	Borland Const.	SE 1/4 32-13-2E	125 dB, 0.381 mm/sec
April 22	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.34 in/sec
April 21	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	128 dB, 8.76 mm/sec
April 20	From 12 pm to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 2.413 mm/sec
April 16	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.05 in/sec
April 15	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 117.2 dB, 4.463 mm/sec Monitor 2: 121.7 dB, 1.346 mm/sec
April 14	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.11 in/sec
Apr. 9	From 11 pm to 4 pm	Borland Cons.	SE 1/4 32-13-2E	124 dB, 0.508 mm/sec
Apr. 8	From 10 am to 4 pm	Glacial Stone Inc.	SE 1/4 8-14-2E	112 dB, 3.556 mm/sec
Apr. 7	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.26 in/sec
Apr. 1	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	122 dB, 5.715 mm/sec
Mar. 31	From 12:30 to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.135 in/sec
Mar. 31	From 12 pm to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 1.778 mm/sec
Mar. 26	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	110 dB, 0.254 mm/sec
Mar. 25	From 12:30 to 3:00 pm	Inland Const.	SE 1/4 6-14-2E	123 dB, 0.355 in/sec
Mar. 25	From 9:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 126.5 dB, 8.2293 mm/sec Monitor 2: NO TRIGGER
Mar. 22	From 12:30 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.085 in/sec
Mar. 17	From 11 am a 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 0.127 mm/sec
Mar. 16	From 12:30 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.44 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Mar. 15	From 11:20 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 123.3 dB, 4.413 mm/sec Monitor 2: NO TRIGGER
Mar. 10	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.17 in/sec
Mar. 8	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 118.8 dB, 5.641 mm/sec Monitor 2: NO TRIGGER
Mar. 3	From 11 am a 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 1.270 mm/sec
Mar. 3	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.28 in/sec
Mar. 1	From 12 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	118 dB, 3.175 mm/sec
Feb. 26	From 9:30 am to 1:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 11 dB, 2.20 mm/sec
Feb. 25	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	POSTPONED TO FEB. 26
Feb. 24	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	NO TRIGGER > 100dB
Feb. 24	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	121 dB, 0.195 in/sec
Feb. 19	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 1.143 mm/sec
Feb. 9	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER > 100 dB
Feb. 8	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	POSTPONED TO FEB. 9
Feb. 4	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	**CANCELLED**
Feb. 1	From 11:59 am to 3:30 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 104.9 dB, 9.375 mm/sec Monitor 2: NO TRIGGER
Feb. 1	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	120 dB, 0.254 mm/sec
Jan. 27	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 1.778 mm/sec
Jan. 25	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	**POSTPONED until Jan. 27**

RM of Rockwood Quarry Operations - Blasting Record 2022

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Jan. 21	From 11 am to 3:00 pm	Armstrong Const.	SE 1/4 28-17-2E	122 dB, 0.254 mm/sec
Jan. 20	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 129.4 dB, 0.892 mm/sec
Jan. 11	From 11 am to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 118 dB, 17.780 mm/sec Monitor 2: 123 dB, 0.738 mm/sec
Jan. 8	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 122.8 dB, 0.931 mm/sec
Jan. 7	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 116.4 dB, 3.074 mm/sec Monitor 2: 124.7 dB, 0.995 mm/sec