

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

		2019 Blasting Record		
Dec. 18	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	112 dB, 0.125 mm/sec
Dec. 3	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	114 dB, 3.810 mm/sec
Nov. 29	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.045 in/sec
Nov. 27	From 9 am to 4 pm	Glacial Const.	SE 1/4 18-14-2 E	98 dB, 0.446 mm/sec
Nov. 23	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2 E	99.9 dB, 0.313 mm/sec
Nov. 23	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2 E	112 dB, 0.012 in/sec
Nov. 21	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2 E	114.9 dB, 1.5 mm/sec
Nov 19	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2 E	116 dB, 0.005 in/sec
Nov. 20	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	110 db, 3.175 mm/sec
Nov. 14	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2 E	118 dB, 0.005 in/sec
Nov. 7	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	109.8 dB, 0.751 mm/sec
Nov. 6	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	CANCELLED
Nov. 6	From 12:30 to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	122 dB, 0.045 in/sec
Oct. 30	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	96.9 dB, 1.547 mm/sec
Oct. 30	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.045 in/sec
Oct. 24	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	112 dB, 0.127 mm/sec
Oct. 23	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.09 in/sec
Oct. 22	From 9 am to 4 pm	Glacial Const.	SE 1/4 14-14-2E	118.3 dB, 3.56 mm/sec
Oct. 22	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	NO TRIGGER >110 dB, 0.51 mm/sec
Oct. 19	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4	106 dB, 0.04 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

			8-14-2E	
Oct. 19	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	106.2 dB, 1.8 mm/sec
Oct. 19	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	CANCELLED
Oct. 18	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	NO TRIGGER >110 dB, 0.51 mm/sec
Oct. 16	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.08 in/sec
Oct. 12	From 10 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	98.7 dB, 0.38 mm/sec
Oct. 10	From 10 am to 4 pm	Borland Const.	SW 1/4 5-14-2E	CANCELLED
Oct. 9	From 12:30 to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	126 dB, 0.100 in/sec
Oct. 4	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	108.9 dB, 1.63 mm/sec
Oct. 2	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER 100 dB, 5.1200 in/sec
Oct. 1	From 12 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	120 dB, 0.060 in/sec
Sept. 25	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	109.9 dB, 1.03 mm/sec
Sept. 25	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2 E	100 dB, 0.09 in/sec
Sept. 25	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER 100 dB, 0.7600 in/sec
Sept. 25	From 9 am to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	116.6 5.84 mm/sec
Sept. 24	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	CANCELLED
Sept. 19	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	119 dB, 0.06 in/sec
Sept. 19	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	124.3 dB, 2.05 mm/sec
Sept. 13	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.225 in/sec
Sept. 12	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0350 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Sept. 12	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	124 dB, 0.462 mm/sec
Sept. 11	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	CANCELLED
Sept. 10	From 9 am to 4 pm	Glacial Aggregates	SE 1/4 14-14-2E	122.2 dB, 7.014 mm/sec
Sept. 6	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	106 dB, 0.0700 in/sec
Sept. 6	From 1 pm to 4 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.07 in/sec
Sept. 4	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
Aug. 31	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-E	CANCELLED
Aug. 31	From 11 am to 4 pm	Borland Const.	SW 1/4 5-14-2E	114 dB, 1.016 mm/sec
Aug. 30	From 11 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.1700 in/sec
Aug. 29	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	110 dB, 0.0600 in/sec
Aug. 28	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	108.6 dB, 1.335 mm/sec
Aug. 27	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
Aug. 24	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0300 in/sec
Aug. 23	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, .105 in/sec
Aug. 22	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	98.93 dB, 0.561 mm/sec
Aug. 22	From 10 am to 4 pm	St aard Const.	NW 1/4 33-13-2E	106 dB, 0.1250 in/sec
Aug. 22	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	110 dB, 1.016 mm/sec
Aug. 17	From 10 am to 1 pm	Maple Leaf Const.	SE 1/4 8-14-2E	106 dB, 0.07 in/sec
Aug. 16	From 9 am to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	111.9 dB, 2.288 mm/sec
Aug. 15	From 12 pm to 3 pm	Inland Const.	SE 1/4	119 dB, 0.140 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

			6-14-2 E	
Aug. 14	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	107.6 dB, 0.683 mm/sec
Aug. 10	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2 E	100 dB, 0.0250 in/sec
Aug. 10	From 11 am to 3 pm	Staad Limestone	NW 1/4 33-13-2E	106 dB, 0.0600 in/sec
Aug. 9	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.0950 in/sec
Aug. 9	From 9 am to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	117.9dB, 6.86mm/sec
Aug. 3	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0750 in/sec
Aug. 3	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	107.3 dB, 0.297 mm/sec
Aug. 2	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	112 dB, 0.0050 in/sec
Aug. 2	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.08 in/sec
Aug. 1	From 9 am to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	126.6 dB, 10.08 mm/sec
Aug. 1	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	106 dB, 1.143 mm/sec
July 31	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	117 dB, 0.065 mm/sec
July 30	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	99.66 dB, 1.588 mm/sec
July 24	From 12 pm to 2 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.075 in/sec
July 20	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	118 dB, 0.375 mm/sec
July 18	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0450 in/sec
July 18	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.085 in/sec
July 13	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	118.35 dB, 1.604 mm/sec
July 12	From 11 am to 2 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.105 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

July 12	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST-133 dB, .005 in/sec
July 11	From 12 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	CANCELLED
July 10	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	109.5 dB, .83 mm/sec
July 9	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST-100 dB, 1.88 in/sec
July 9	From 12 pm to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	NO TRIGGER
July 5	From 12 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.120 in/sec
July 5	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST-100 dB, 1.28in/sec
July 4	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
July 3rd	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	113.4 dB, 0.979 mm/sec
June 28	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	
June 27	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
June 27	From 11 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.125 in/sec
June 25	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST-130 dB, 0.010 in/sec
June 25	From 11 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	120 dB, 0.10 in/sec
June 21	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 4-14-2E	100 dB, 0.0400 in/sec
June 20	From 12 pm to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	115.7 dB, 6.87 mm/sec
June 19	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	107.4 dB, 1.062 mm/sec
June 18	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST-138 dB, 0.00 in/sec
June 18	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.125 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

June 12	From 9 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST- 142 dB, 0.0100 in/sec
June 12	From 12 pm to 4 pm	Glacial Aggregates	SE 1/4 18-14-2E	110.2 dB, 3.76 mm/sec
June 8	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	99.23 dB, .415 mm/sec
June 8	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	106 dB, 0.0350 in/sec
June 7	From 9 am to 1 pm	St aard Limestone	NW 1/4 33-13-2E	NO TRIGGER <120 dB,
June 7	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.11 in/sec
June 6	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER TEST - 100 dB, 0.0600 in/sec
June 5	From 1 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	105.5 dB, 1.213 mm/sec
June 5	From 11 am to 4 pm	Standard Limestone	NW 1/4 33-13-2E	106 dB, 0.0300 in/sec
June 5	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
May 31	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.17 in/sec
May 29	From 9 am to 12 pm	Standard Limestone	NW 1/4 33-13-2E	NO TRIGGER <100 dB
May 29	From 11 am to 2 pm	Maple Leaf Const.	SE 1/4 4-14-2E	110 dB, 0.0700 in/sec
May 24	From 11 am to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.095 in/sec
May 23	From 11 am to 4 pm	Standard Limestone	NW 1/4 33-13-2E	112 dB, 0.00500 in/sec
May 22	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 4-14-2E	110 dB, 0.0500 in/sec
May 22	From 1 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	104.7 dB, 1.092 mm/sec
May 16	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0400 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

May 16	From 11 am to 3 pm	Standard Limestone	NW 1/4 33-13-2E	106 dB, 0.06 in/sec
May 16	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	119 dB, 0.1350 in/sec
May 11	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	NO TRIGGER <100 dB, < 2.4 in/sec
May 10	From 9 am to 11 am	Standard Limestone	NW 1/4 33-13-3E	116 dB, 0.015 in/sec
May 9	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	107.9 dB, 0.942 mm/sec
May 8	From 9 am to 11 am	Standard Limestone	NW 1/4 33-13-2E	112 dB, 0.005 in/sec
May 8	From 12:30 to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.160 in/sec
May 7	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0650 in/sec
May 7	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	NO TRIGGER < 110 dB, < 0.51 mm/sec
May 4	From 3 pm to 4 pm	Standard Limestone	NW 1/4 33-13-2E	112 dB, 0.0800 in/sec
May 4	From 9 am to 11 am	Standard Limestone	NW 1/4 33-13-2E	NO TRIGGER < 100 dB
May 4	From 12 pm to 1 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.040 in/sec
Apr. 27	From 10 am to 2 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0550 in/sec
Apr. 27	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	116.7 dB, 1.161 mm/sec
Apr. 25	From 9 am to 1 pm	Standard Limestone	NW 1/4 33-13-2E	112 dB, 0.0200 in/sec
Apr. 23	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.160 in/sec
Apr. 20	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	106 dB, 0.0350 in/sec
Apr. 18	From 11 am to 3 pm	Standard Limestone	NW 1/4 33-13-2E	106 dB, 0.400 in/sec
Apr. 16	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.2850 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Apr. 13	From 10 am to 2 pm	Maple Leaf Const.	SW 1/4 8-14-2E	106 dB, 0.0250 in/sec
Apr. 13	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	117 dB, 0.821 mm/sec
Apr. 11	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	117 dB, 0.127 in/sec
Apr. 10	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.1350 in/sec
Apr. 9	From 11 am to 3 pm	Standard Limestone	NW 1/4 33-13-2E	114 dB, 0.0250 in/sec
Apr. 9	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	100 dB, 0.0400 in/sec
Apr. 6	From 10 am to 1 pm	Maple Leaf Const.	SW 1/4 8-14-2E	CANCELLED
Apr. 6	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	CANCELLED
Apr. 5	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	119 dB, 0.635 in/sec
Apr. 3rd	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.1150 in/sec
Mar. 29	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	108 dB, 0.654 mm/sec
Mar. 22	From 10 am to 2 pm	Standard Limestone	NW 1/4 33-13-2E	NO TRIGGER 106 dB, 0.00 in/sec
Mar. 22	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.105 in/sec
Mar. 16	From 9 am to 4 pm	Borland Const.	NE 1/4 6-14-2E	CANCELLED
Mar. 15	From 12:30 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.085 in/sec
Mar. 15	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	109.3 dB, 0.649 mm/sec
Mar. 9	From 9 am to 4 pm	Borland Const.	NE 1/4 6-14-2E	RESCHEDULED
Mar. 8	From 11 am to 3 pm	Standard Limestone	NW 1/4 33-13-2E	NO TRIGGER 100 dB, 0.00 in/sec
Mar. 8	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	100 dB, 0.12 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Mar. 7	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	99.80 dB, 0.204 mm/sec
Mar. 1	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	110 dB, 0.663 mm/sec
Feb. 28	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	RESCHEDULED
Feb. 27	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.080 in/sec
Feb. 23	From 9 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	CANCELLED
Feb. 21	From 9 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	100 dB, 0.762 mm/sec
Feb. 16	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	96.07 dB, 0.77 mm/sec
Feb. 15	From 9 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	NO TRIGGER <110 dB, <0.0200 in/sec
Feb. 13	From 9 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	114 dB, 0.127 mm/sec
Feb. 9	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	102 dB, 0.591 mm/sec
Feb. 5	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	114 dB, 0.889 mm/sec
Feb. 1	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	112.1 dB, .283 mm/sec
Jan. 30	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	112 dB, 0.889 mm/sec
Jan. 29	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	96.3 dB, .240 mm/sec
Jan. 26	From 11 am to 3 pm	Standard Limestone	NW 1/4 33-13-2E	NO TRIGGER 110 dB, 0.00 in/sec
Jan. 23	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	98.22 dB, 0.418 mm/sec
Jan. 18	From 10 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	116 dB, 0.332 mm/sec
Jan. 12	From 2 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	109 dB, 0.393 mm/sec
Jan. 12	From 11 am to 3:30 pm	Borland Const.	NE 1/4 32-13-2E	117 dB, 0.889 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2019

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Jan. 8	From 12 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	104.9 dB, 0.392 mm/sec
--------	--------------------	----------------	-------------------	------------------------